

BEE3-EZ[®]

The Easy, Portable Solution For Labeling, Bar Code and Heat Shrink Tube Identification

**3 Year
Printer
Warranty**

FONT and SIZE
Hot Keys Make it
Easy to Select
5 Sizes and
14 Font Styles

Style Mode
Size Font



Custom Design and
Print Permanent
Adhesive Labels
in Seconds for Wire
and Cable ID, Medical,
Warehouse, Safety,
Equipment, Warning,
Plant, Office, School,
Home or Anywhere.

K-SUN

BEE3-EZ &

3-Year Printer WARRANTY
Best in the Business!

The Easiest Printers for Custom Labeling, Bar Code and Heat Shrink Tube Identification

BEE3-EZ+

- Easy Snap-in Cartridge Loads from the Top. See Tape Size, Color, Type, and Quantity Through Clear Cover
- Auto or Manual Tape Cutter
- Print Preview to Review Label before Printing. Save Time and Wasted Materials
- Nylon Wrist Strap Option
- Euro Latin Hot Key for Easy Access to 204 International Characters
- LCD Prompts in English or Spanish
- Cable/Flag Hot Key for Easy Access to Cable and Flag Label Formats
- Font and Size Hot Keys. 14 Font Styles, 5 Sizes and 1-4 Lines of Text
- QWERTY Style Keyboard for Easy Text Entry
- Molded Frame Handle for Strength and Portability
- Prints on Heat Shrink Tube, Glow-in-the-Dark, Magnetic, Fluorescent, Iron-On and Polyester Adhesive Tapes From 4mm (1/6") up to 18mm (3/4") Wide.

BEE3-EZ+

Heat Shrink Tube and Industrial Label Printer Kit

The K-Sun BEE3®-EZ+ is the professional's choice for heat shrink tube identification and general custom labeling of wires, cables, panels, terminals, face plates, tools and equipment. *The printer uses 15 different heat shrink tube sizes and colors!*

3-Year Unconditional Warranty!

Heat Shrink Tube Supplies

BEE3®-EZ uses 1/8" and 3/16" sizes only
BEE3®-EZ+ uses all sizes

Polyolefin Shrink Tube Cartridge Color & Sizes (length=96")						
	Black on Red	Black on Yellow	Black on White	Black on Green	Black on Blue	White on Black
1/8"		203STBY	203STBW			
3/16"	205STBR	205STBY	205STBW	205STBG	205STBB	205STWB
1/4"		208STBY	208STBW			
3/8"			210STBW			
1/2"	211STBR	211STBY	211STBW			211STWB

BEE3®-EZ+ Industrial Kit



Contains the BEE3®-EZ+ printer with rubber base guard, AC adapter, case, (1) 1/2" black on white tape, (1) 1/2" black on white heat shrink tube cartridge, wrist strap and manual.

Portable and Affordable for All Your Labeling Jobs

The K-Sun BEE3®EZ and EZ+ are electronic portable, compact keyboard printers that create custom adhesive-backed labels in over 60 different sizes and color combinations. They also print on polyolefin heat shrink tube materials for wire and cable identification. Both printers have 8-Bar Code formats for making custom bar code labels for multiple uses in warehouses, plants, labs, electrical,

office, maintenance and more. The BEE3®-EZ printers are loaded with features to make labeling easier and better. They run on 6 standard AA batteries or desktop AC Adapter saving money on replacement batteries. Below is a list of key features that add up to a performance package you would expect only from larger, more expensive label printers.

Printer Features & Functions

- 3 Year FREE Printer Warranty
- Automatic Tape & Heat Shrink Tube Cutter
- Keyboard: 67 Key QWERTY-Compatible Keyboard
- Transparent Tape Cover: Instantly Reveals Tape Color, Size and Quantity Remaining
- LCD Display: 12 Characters, 2-Lines Dot Matrix Standard LCD
- LCD Light Adjustment: 5 Dark to Light Settings
- Print Preview: Shows Label Design and Type Style
- Print Technology: High Durability Thermal Transfer
- Print Resolution: 180 DPI
- Print Speed: All Tapes Print 6mm Per Second or 2.36" Per Second
- Print Density: 6 Dark to Light Settings
- Power: Runs on Batteries—6AA or AC Power Adapter—115-240V that Complies with California Energy Reduction Requirements or a 12V DC Auto & Truck Adapter
- Power Management: Automatic Power Off
- Portability: Hand-Held or Desktop Operation, Built-In Frame Handle and Nylon Wrist Strap for Enhanced Portability and Protection.
- Printer Dimensions: 7.4"(wide) x 2.3"(high) x 8.8"(deep)
- Printer Weight: 1.23 lbs.
- Printer Construction: High Impact Plastic with (optional) Rubber Base Guard

Print Functions

- 8 Bar Code Formats: Code 39, Code 128, ITF, UPC-A, UPC-E, CODABAR, EAN 8, EAN 13
- Cable/Flag Label Function: "Quick Key" Speeds Design of Wire and Cable Labels
- Horizontal and Vertical Printing
- 14 Fonts, Bitmap Fonts Installed for Print Characters
- Symbols: 1,028 Special Industrial, Medical, Safety, Office, Home and General Symbols, Punctuation, Math, Arrows and More.
- Font Sizes: 6 point to 26 point Depending on Type Style and Tape Width
- Font Functions: Bitmap Smoothing Function
- Font Styles: Bold, Italic, Shadow, Outline, Shadow+Outline
- Lines of Text: 1 to 4 Lines of Text Depending on Tape Width
- Text Alignment: Left, Center, Right
- Tape Feed and Cut Function Key for Manual Advance
- Back Space and Delete Functions
- Frames: 75 Professional & Decorative
- Print Length: 15", 90 Characters
- Memory Storage: 4 Files
- Euro/Latin Characters: "Quick Key" for easy access to European/Latin Language Characters
- Language Prompts: English/Spanish

Tape and Heat Shrink Tube Supplies

- Tape Selection: 60 Industrial Tapes and 15 Heat Shrink Tube Materials
- Two-In-One Tape: Flexible Polyester Base for Wire and Cable Wrap. Polyester Provides Durability and Permanent Adhesive Strength for Flat Surfaces too. Solves Two Requirements with One Tape.
- Tape Width Selection: (5) Widths: 1/6"(4mm), 1/4"(6mm), 3/8"(9mm), 1/2"(12mm), 3/4"(18mm)
- Heat Shrink Tube Selection: Polyolefin Heat Shrink Tube Material in 1/8" 3/16", 1/4", 3/8" and 1/2" Widths, 6 Color Combinations
- Tape Complies with ANSI/TIA/EIA-606 Standards

Environmental and Safety

- Printer Runs on Safe 6.5V DC Power
- Conforms to FCC Class B Standards
- RoHS Directive: Parts Within RoHS Requirements and Standards
- Non-PVC Parts
- Low Battery Warning
- Overheat Detection and Power Shut Off
- Auto Text Storage When Power Out
- Automatic Temperature Sensor
- Battery Reversed Alarm
- Circuit Breaker
- LSAD Adapter: Meets All Requirements for California Energy Commission's Minimum Efficiency and No-Load Energy Reduction Standards Level V, cUL, CE, WEEE, ROHS Standards



Polyester Adhesive Labeling Tapes, Iron-On Fabric and Magnetic Materials for Hundreds of Applications

Width	Color/Description	Code
1/6" 4mm	BLACK on white	#204BW
1/4" 6mm	BLACK on clear	#206BC
	BLACK on white	#206BW
	BLACK on yellow	#206BY
	WHITE on black	#206WB
	BLACK on green	#206BG
	BLACK on blue	#206BB
3/8" 9mm	BLACK on clear	#209BC
	BLACK on white	#209BW
	BLACK on yellow	#209BY
	WHITE on black	#209WB
	BLACK on green	#209BG
	BLACK on blue	#209BB
1/2" 12mm	BLACK on clear	#212BC
	BLACK on white	#212BW
	BLACK on yellow	#212BY
	WHITE on black	#212WB
	BLACK on green	#212BG
	BLACK on blue	#212BB
	BLACK on red	#212BR
	BLACK on silver matte	#212SM
	WHITE on vivid red	#212WR
	WHITE on vivid green	#212WG
	WHITE on vivid blue	#212WL
	GOLD on clear	#212GC
	GOLD on black	#212GB
	WHITE on clear	#212WC
BLACK on white-removable adhesive	#212RA	
BLACK on orange	#212BO	
BLACK on glow in the dark 59"	#212LMY	
WHITE on brown 24"	#212BR	
3/4" 18mm	BLACK on clear	#218BC
	BLACK on white	#218BW
	BLACK on yellow	#218BY
	WHITE on black	#218WB
	BLACK on green	#218BG
	BLACK on blue	#218BB
	BLACK on red	#218BR
	BLACK on silver matte	#218SM
	BLACK on gray	#218BX
	BLACK on orange	#218BO
	WHITE on clear	#218WC
	BLUE on white	#218BLW
RED on white	#218RW	
3/4" 18mm	WHITE on vivid red	#218WR
	WHITE on vivid green	#218WG
	WHITE on vivid blue	#218WL
	WHITE on vivid orange	#218WO
	BLACK on violet	#218BV
	BLACK on translucent matte	#218BTM
	RED on clear	#218RC
	BLACK on fluorescent red	#218FR
	BLACK on fluorescent pink	#218FP
	BLACK on fluorescent orange	#218FO
	BLACK on fluorescent yellow	#218FY
	BLACK on fluorescent green	#218FG
BLACK on glow in the dark	#218LMY	

Fabric Tape - Iron-On - 16'4"		
209FBB	3/8"	Blue Iron On Fabric Tape
209FBP	3/8"	Pink Iron On Fabric Tape
212FBB	1/2"	Blue Iron On Fabric Tape
212FBP	1/2"	Pink Iron On Fabric Tape

Since colors shown here are printed, they are intended only to generally represent actual tape colors

Magnet Tape - 13'		
209MTBW	3/8"	Black on White Magnet
209MTBY	3/8"	Black on Yellow Magnet
212MTBW	1/2"	Black on White Magnet
212MTBY	1/2"	Black on Yellow Magnet
218MTBW	3/4"	Black on White Magnet
218MTBY	3/4"	Black on Yellow Magnet

Standard & vivid colors, white and clear - 26' (8M) tape Length



Magnet Tape for Metal Shelves, Lockers, White Boards and more. Removable and reusable.

Making a Permanent, Professional Label is as Easy as 1, 2, 3 with the BEE3®-EZ and EZ+ Printers and Tapes



1 Enter Label Text, Numbers or Symbols Using Keyboard




2 Press PRINT Key. Label Prints and Cuts Automatically



3 Peel Off Liner. Apply Label to Desired Surface

Permanent Adhesive Labels for Every Job

Flexible Polyester Tape is Designed for Wire and Cable Wrap, Flagging, Tabbings and Curved Surfaces. Polyester also Provides Durability and Permanent Labels for Flat Surfaces. You Only Need One Tape To Do The Job!



Durable Heat Shrink Tube Labels for Wire & Cable Identification Plus Other Applications



Scan for Tape Supply Information




Design Heat Shrink Tube with K-Sun Printers




Slide Heat Shrink Tube Sleeve Over Wire, Cable, Tube or Round Object




Use Heat Gun to Shrink Material Around Object



Coated for Durability and Flexibility. Industrial Grade Adhesive Labels and Heat Shrink Tube Markers for Commercial, Electrical, Medical, Laboratory, Home, Office and Just About Anywhere Else.



Labeling Tapes are Flexible & Durable for Multiple Applications Indoors or Outdoors.





Makes It Easy to Print Industrial Bar Codes, Labels and Heat Shrink Tubes

14 Different Fonts for More Label Design Flexibility

SANS SERIF ABCDEFGHIJ	BOLD GOTHIC ABCDEFGHIJ
SANS SERIF HG ABCDEFGHIJ	ROMAN ABCDEFGHIJ
SANS ST ABCDEFGHIJ	U S ROMAN ABCDEFGHIJ
CB ABCDEF GHIJK	CL ROMAN ABCDEFGHIJ
BR ABCDEFGHIJ	REISHO ABCDEFGHIJ
SCRIPT ABCDEFGHIJKL	MINCHO ABCDEFGHIJ
GOTHIC ABCDEFGHIJ	GYSHO ABCDEFGHIJ

1,028 Symbols, Punctuation, Numbers, Math, Arrows, Measurement, and More!



8 Bar Code Formats:

EAN-8, EAN-13, CODE 128, CODE 39, ITF, CODABAR, UPC-A, UPC-E





Create custom bar codes on demand for asset tracking, product identification, pricing, inventory control and more.

Euro Latin
Euro/Latin Hot Key
 Direct Access to 204 International Characters.
 Organized in Upper and Lower Case Sets with Memory Function for Easy Selection of Last Used Character.

Basic Alphabet	Replaceable Characters	Basic Alphabet	Replaceable Characters
A	À Á Â Ã Ä Å Æ Æ Æ Æ	a	à á â ã ä å æ Æ Æ Æ Æ
C	Ç Ć Ć Ć Ć	c	ç ć Ć Ć Ć
D	Đ Ď	d	đ đ đ đ
E	È É Ê Ë Ì Í Î Ï Ñ Ò Ó Ô Õ Ö Ø Ù Ú Û Ü Ý Þ ß à á â ã ä å æ ç è é ê ë ì í î ï ñ ò ó ô õ ö ø ù ú û ü ý þ ß	e	è é ê ë ì í î ï ñ ò ó ô õ ö ø ù ú û ü ý þ ß
G	Ĝ Ğ Ğ Ğ Ğ	g	ĝ ğ Ğ Ğ Ğ
H	Ĥ Ħ	h	ĥ ħ
I	Ì Í Î Ï Ĳ Ĵ Ķ ĸ Ĺ Ļ Ľ Ŀ Ł	i	ì í î ï ĳ ĵ ķ Ĺ Ļ Ľ Ŀ ł
J	Ĵ Ķ	j	ĵ ħ
K	Ķ ĸ	k	ķ ĸ ĸ
L	Ĺ Ļ Ľ Ŀ Ł	l	ĺ ľ Ļ Ļ Ļ
N	Ñ Ń Ņ Ň Ŋ	n	ñ ń ņ Ň ŋ
O	Ò Ó Ô Õ Ö Ø Ù Ú Û Ü Ý Þ ß à á â ã ä å æ ç è é ê ë ì í î ï ñ ò ó ô õ ö ø ù ú û ü ý þ ß	o	ò ó ô õ ö ø ù ú û ü ý þ ß
P	Ɔ Ɔ	p	Ɔ Ɔ
R	Ŕ Ŗ Ř	r	ŕ ŗ ŗ
S	Ś Ŝ Ź Š	s	ś ś ś ś ŝ ŝ
T	Ŧ Ț Ț	t	ț ț ț
U	Ù Ú Û Ü Ý Þ ß à á â ã ä å æ ç è é ê ë ì í î ï ñ ò ó ô õ ö ø ù ú û ü ý þ ß	u	ù ú û ü ý þ ß
W	Ẁ ẁ Ẃ ẃ Ẅ ẅ Ẇ ẇ Ẉ ẉ	w	Ẁ ẁ Ẃ ẃ Ẅ ẅ Ẇ ẇ Ẉ ẉ
Y	Ỳ Ỵ Ỷ Ỹ	y	ỳ ỳ ỳ ỳ
Z	Ẑ Ẓ Ẕ ẖ	z	ẑ ẓ ẕ ẖ
?	¿	!	!

75 Professional & Decorative Frames



Cable/Flag Hot Key

Direct Access to Vertical and Horizontal Cable and Flag Formats for Quick Design of Wire and Cable Labels

3 Year Exclusive Warranty!

K-Sun BEE3®-EZ and BEE3®-EZ+ Printers are warranted for parts, labor, repair or replacement for up to 36 months from date of customer purchase (registration required).



115/240V-AC Adapter




Deluxe Plastic Case



Protective Wrist Strap

BEE3®-EZ and BEE3®-EZ+ Accessories



Somerset, WI 54025

www.ksun.com

info@ksun.com

©K-Sun Corporation 2013



K-SUN
K-Sun Corporation